



Orta Yük, Mavi Yay

ISO 10243 / Renk: Mavi

Kod: MY

Yay Katsayısını (R) - Sıkıştırma Miktarları (mm) ile basitçe çarparak toplam yay kuvveti değerine ulaşabilirsiniz. Örnek: $R \times (A.B.C) = Nw$

Nw -Newton = $(0.102) \times Kg$

D	d	L	R	A	B	C	D	
dış	iç	boy	yay	uzun	min.	max.	full	
çap	çap	mm	katsayısı	ömür	sıkma	sıkma	sıkma.	
Yay	Yay		Nw.	% 25	% 30	% 37.5	mm	
10	5	25	16	6.3	7.5	9.4	10.2	
		32	13	8	9.6	12	14.2	
		38	11.9	9.5	11.4	14.3	16.8	
		44	10.3	11	13.2	16.5	19.4	
		51	8.9	12.8	15.3	19.1	23.4	
		64	7.5	16	19.2	24	28.2	
	b : h :		76	5.3	19	22.8	28.5	34.2
	1.9x 1.3		305	1.6	76.3	91.5	114	134
	13	6.3	25	30	6.3	7.5	9.4	11.9
			32	24.8	8	9.6	12	16.2
			38	21.4	9.5	11.4	14.3	18.7
			44	18.5	11	13.2	16.5	21.3
51			15.5	12.8	15.3	19.1	25.6	
64			12.1	16	19.2	24	32.4	
b : h :		76	10.2	19	22.8	28.5	39	
2.5x 1.5		305	2.1	76.3	91.5	114	153	
16		8	25	49.4	6.3	7.5	9.4	10.5
			32	37.1	8	9.6	12	13.2
			38	33.9	9.5	11.4	14.3	17.2
			44	30	11	13.2	16.5	19.4
	51		26.4	12.8	15.3	19.1	24.2	
	64		20.5	16	19.2	24	29.2	
	b : h :		76	17.8	19	22.8	28.5	36.3
	3.2x 2.0							

D	d	L	R	A	B	C	D	
dış	iç	boy	yay	uzun	min.	max.	full	
çap	çap	mm	katsayısı	ömür	sıkma	sıkma	sıkma.	
Yay	Yay		Nw.	% 25	% 30	% 37.5	mm	
16	8	89	15.2	22.3	26.7	33.4	41.7	
		102	13.5	25.5	30.6	38.3	48.9	
	b : h :		115	11.8	28.8	34.5	43.1	53.1
	3.2x 2		305	4.8	76.3	91.5	114	142
20	10	25	98	6.3	7.5	9.4	10.5	
		32	72.6	8	9.6	12	13.9	
		38	56	9.5	11.4	14.3	16.6	
		44	47.5	11	13.2	16.5	18.8	
		51	41.7	12.8	15.3	19.1	23.1	
		64	32.3	16	19.2	24	27.5	
	b : h :		76	25.1	19	22.8	28.5	33.8
	4.1x 2.4		305	6.1	76.3	91.5	114	143
	25	12.5	25	147	6.3	7.5	9.4	10.2
			32	118	8	9.6	12	13.7
			38	93	9.5	11.4	14.3	15.7
			44	80.8	11	13.2	16.5	18.2
51			68.6	12.8	15.3	19.1	21.7	
64			53	16	19.2	24	26	
b : h :		76	43.2	19	22.8	28.5	32.3	
5.4x 3.3		305	10.2	76.3	91.5	114	135	
32		16	38	185	9.5	11.4	14.3	16.3
			44	158	11	13.2	16.5	18.9
			51	134	12.8	15.3	19.1	23.1
			64	99	16	19.2	24	28.5
	76		80	19	22.8	28.5	34.2	
	89		69.1	22.3	26.7	33.4	40.4	
	b : h :		102	58.8	25.5	30.6	38.3	48
	6.8x 4.0		115	51.5	28.8	34.5	43.1	54.3
			127	44.8	31.8	38.1	47.6	59.2

D	d	L	R	A	B	C	D	
dış	iç	boy	yay	uzun	min.	max.	full	
çap	çap	mm	katsayısı	ömür	sıkma	sıkma	sıkma.	
Yay	Yay		Nw.	% 25	% 30	% 37.5	mm	
32	16	139	42.3	35	42	52.5	65.3	
		152	37.8	38	45.6	57	73	
	b : h :		178	32.5	44.5	53.4	66.8	84.5
	6.8x 4		203	28.9	50.8	60.9	76.1	96.9
40	20	254	21.4	63.5	76.2	95.3	121	
		305	18.3	76.3	91.5	114	147	
		51	182	12.8	15.3	19.1	21.4	
		64	140	16	19.2	24	26.8	
		76	108	19	22.8	28.5	32.7	
		89	90.7	22.3	26.7	33.4	39	
	b : h :		102	81	25.5	30.6	38.3	44.1
	8.2x 4.7		115	71.8	28.8	34.5	43.1	50.6
			127	62.7	31.8	38.1	47.6	55.9
			139	57.5	35	42	52.5	61.8
			152	51.6	38	45.6	57	67.5
			178	44.1	44.5	53.4	66.8	77.2
		203	36.7	50.8	60.9	76.1	91.8	
b : h :		254	30.1	63.5	76.2	95.3	113	
50	25	305	24.6	76.3	91.5	114	138	
		64	209	16	19.2	24	28.2	
		76	168	19	22.8	28.5	34.9	
		89	140	22.3	26.7	33.4	39.2	
		102	119	25.5	30.6	38.3	47.3	
		115	106	28.8	34.5	43.1	52.6	
	b : h :		127	97	31.8	38.1	47.6	59.8
	11x 5.8		139	87	35	42	52.5	65.1
			152	80	38	45.6	57	70.8
			178	69.5	44.5	53.4	66.8	84.2
			203	59.8	50.8	60.9	76.1	96.5
			229	50.9	57.3	68.7	85.9	108
b : h :		254	43.9	63.5	76.2	95.3	122	
63	38	305	38.6	76.3	91.5	114	147	
		76	312	19	22.8	28.5	30.7	
		89	260	22.3	26.7	33.4	36.5	
		102	221	25.5	30.6	38.3	43.6	
		115	187	28.8	34.5	43.1	48.9	
		127	168	31.8	38.1	47.6	54.2	
	b : h :		152	136	38	45.6	57	65.7
	11.5x 9.1		178	114	44.5	53.4	66.8	76.5
			203	100	50.8	60.9	76.1	88
			229	89.2	57.3	68.7	85.9	104
	b : h :		254	78.4	63.5	76.2	95.3	112
			305	64.7	76.3	91.5	114	134



Sipariş: MY. D x L

Kullanım: Özellikle enjeksiyon kalıpları, pres kalıpları ve aparat tasarımları için uygundur.

Sipariş Örneği:
MY. 40 x 89