




Code: G92C (steel type)

**Wear Plate, AFNOR / ISO 9183-2**  
Form A - B - C - D - E - F - G - H - I


Code: G92



A	l	b	l1	l2	l5	Hole	Form
70	100	20	50	-	45	2	A
	150	10			45	3	B
	200	20			95	4	D
100	150	50	50	25	70	4	C
	200				95	4	D
	250				145	5	E
150	200	100	50	-	95	4	D
	250				145	5	E
100	100	30	25	25	32.5	3	F
	300	50	50	-	145	6	G
150	100	25	50	-	45	4	H
	150		25	50	70	4	I
	300		100	50	-	145	6
200	100	50	50	-	45	4	H

Order: G92 or G92C. A x l


\* G92: Bronze + self-lubricating type.  
\* G92C: Steel type.  
\* Fixing screws: M10.



**Wear Plate, VDI 3357**

Self-Lubricating / Two-Way Sliding Type  
Form: A - B

Code: G96




Order: G96. A x l x h x Form

A	l	l1	l2	l3	c	h	d	d1	t	Form				
-0.02		±0.2		±0.2		-0.02	H13	H13	+0.5					
25	110	85	25	-	12.5	12	15	9	8.5	A				
	120	95				15	18	11	10.5					
	110	85												
	120	95												
60	125	100	25	-	30	30	20	13.5	13	A				
	150	125												
	160	135												
60	200	100	25	-	30	30	20	13.5	13	B				
	125	100				175								
	150	125				-				40	20	13.5	13	A
	160	135				-								
	200	100				175								



**Wear Plate, CNOMO**

Code: G93



\* Fixing screws: M10.

Order: G93. A x l

A	l	l1	l2	l3	b	a3	Hole	Form
50	63	39	12	-	20	15	2	B
50	160	126	21	-	12	19	2	B
50	250	100	21	116	12	19	3	C
63	100	18	15	34	39	12	4	A